ELSEVIER

Journal of Affective Disorders 60 (2000) 219–220

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Contents (Vol. 60)

No. 1 – October 2000

Research Reports

Gender differences in chronic major and double depression
S.G. Kornstein, A.F. Schatzberg, M.E. Thase, K.A. Yonkers, J.P. McCullough, G.I. Keitner, A.J. Gelenberg, C.E. Ryan, A.L. Hess, W. Harrison, S.M. Davis, M.B. Keller (USA) 1

Executive dysfunction predicts nonresponse to fluoxetine in major depression
J.J. Dunkin, A.F. Leuchter, I.A. Cook, J.E. Kasl-Godley, M. Abrams, S. Rosenberg-Thompson (USA) 13

MRI-based measurements of temporal lobe and ventricular structures in patients with bipolar I and bipolar II disorders
P. Hauser, J. Matochik, L.L. Altshuler, K.D. Denicoff, A. Conrad, X. Li, R.M. Post (USA) 25

Discrepancies between self and observer ratings of depression. The relationship to demographic, clinical and personality variables
M.W. Enns, D.K. Larsen, B.J. Cox (Canada) 33

Brief Reports

Exploring aspects of DSM-IV interpersonal sensitivity in bipolar II
F. Benazzi (Italy) 43

The relationship between personality, dysfunctional parenting in childhood, and lifetime depression in a sample of employed Japanese adults
K. Sakado, H. Kuwabara, T. Sato, T. Uehara, M. Sakado, T. Someya (Japan) 47

Preliminary Communication

Personality and object relations in patients with affective disorders: idiographic research by means of the repertory grid technique
H. Böker, D. Hell, K. Budischewski, A. Eppel, F. Härtling, H. Rinnert, F. von Schmeling, H. Will, F. Schoeneich, G. Northoff (Switzerland, Germany) 53

Special Article

Social phobia: diagnosis and epidemiology, neurobiology and pharmacology, comorbidity and treatment
N. Brunello, J.A. den Boer, L.L. Judd, S. Kasper, J.E. Kelsey, M. Lader, Y. Lecrubier, J.P. Lepine, R.B. Lydiard, J. Mendlewicz, S.A. Montgomery, G. Racagni, M.B. Stein, H.-U. Wittchen (Italy, The Netherlands, USA, Austria, UK, France, Belgium, Germany) 61

No. 2 – November 2000

Research Reports

Paternal and maternal depressed mood during the transition to parenthood
S. Matthey, B. Barnett, J. Ungerer, B. Waters (Australia) 75

Correlates of symptomatic, minor and major depression in the elderly
M.D. Van den Berg, A.J. Oldehinkel, E.I. Brilman, A.L. Bouhuys, J. Ormel (The Netherlands) 87

Deliberate self poisoning with antidepressant drugs: a comparison of the relative hospital costs of cases of overdose of tricyclics with those of selective-serotonin re-uptake inhibitors
P. Ramchandani, B. Murray, K. Hawton, A. House (UK) 97
A prospective follow-up study of ECT outcome in older depressed patients
H. Brodaty, I. Hickie, C. Mason, L. Prenter (Australia) 101
The long-term outcome of a depressive population in a Hungarian material
T. Zonda, J. Gróza (Hungary) 113
Enhancement of the antidepressant action of fluoxetine by folic acid: a randomised, placebo controlled trial
A. Coppen, J. Bailey (UK) 121

Brief Report
Trinucleotide repeat expansion in the β1 subunit of the sodium pump in manic-depression illness: a negative study
R. Li, R.S. El-Mallakh, M.M. Herman, J.E. Kleinman (USA) 131

Preliminary Communication
Moderate and severe depression. Gradations for the Montgomery–Åsberg Depression Rating Scale
M.J. Müller, A. Szegedi, H. Wetzel, O. Benkert (Germany) 137

Letter to the Editor
Platelet SHT and bipolar depressed patients
L. Franke, R. Uebelhack, B. Müller-Oerlinghausen (Germany) 141

Reply to Letter to the Editor
Increased platelet 5-HT in patients with bipolar depression. Reply to Franke et al. [J. Affect. Disord. 52 (1999) 101–110]
I.-S. Shiah, H.-C. Ko, J.-F. Lee, R.-B. Lu (Taiwan) 143

No. 3 – November II 2000

Research Reports
A double-blind, placebo-controlled study of the effects of lithium on cognition in healthy subjects: mild and selective effects on learning
E. Stip, J. Dufresne, I. Lussier, L. Yatham (Canada) 147
The estimated rate of depressed mood in US adults: recent evidence for a peak in later life
L.-T. Wu, J.C. Anthony (USA) 159
Treatment received by depressed patients in Japan and its determinants: naturalistic observation from a multi-center collaborative follow-up study
T.A. Furukawa, T. Kitamura, K. Takahashi (Japan) 173
Cortisol in violent suicidal behaviour: association with personality and monoaminergic activity
K. van Heeringen, K. Audenaert, L. Van de Wiele, A. Verstraete (Belgium) 181
Group interpersonal psychotherapy for patients with major depression disorder – pilot study
Y. Levkovitz, G. Shahar, G. Native, E. Hirsfeld, I. Treves, I. Krieger, S. Fennig (Israel) 191

Brief Report
QT dispersion in the surface electrocardiogram in elderly patients with major depression
E. Nahshoni, D. Aizenberg, B. Strasberg, P. Dorfman, M. Sigler, S. Imbar, A. Weizman (Israel) 197

Preliminary Communication
Can critically timed sleep deprivation be useful in pregnancy and postpartum depressions?
B.L. Parry, M.L. Curran, C.A. Stuenkel, M. Yokimozo, L. Tam, K.A. Powell, J.C. Gillin (USA) 201

Author Index 213
Subject Index 217
Contents (Vol. 60) 219